

# KILOTECH

Easy to use reliable scales

## KWS SW

# Take the guesswork out of weighing

Weigh produce, prepared foods or parts.



K881174	KWS SW-06	3 kg x 0.001kg or 6 lb x 0.002 lb	GTIN 888960511749
K881175	KWS SW-12	6 kg x 0.002 kg or 12 lb x 0.005 lb	GTIN 888960511756
K881176	KWS SW-30	15 kg x 0.005 kg or 30 lb x 0.01 lb	GTIN 888960511763
K881177	KWS SW-60	30 kg x 0.01 kg or 60 lb x 0.02 lb	GTIN 888960511770



[www.kilotech.com](http://www.kilotech.com)

# Key features



Level Indicator



Removable stainless-steel platform



Front and rear large LCD displays



Rechargeable battery

- This **legal for trade digital weighing scale** has a checkweighing function (HI/LO/Target) and a secondary counting function.
- Its applications are wide and varied as it **offers four capacities** (3, 6, 15, & 30 kg / 6, 12, 30 & 60 lb) as well as **four weighing modes** (g, kg, lb, oz).
- The **removable stainless steel platform** and its sturdy ABS enclosure ensure easy clean up and long term durability.
- Visual accuracy is guaranteed with its **large LCD display with both front and rear indicators** and a helpful level indicator assures weighing accuracy.
- The scale operates with a rechargeable battery and an AC adapter (included). Low battery indicator.
- The compact design of the scale makes it **ideal to be placed on crowded counters**.

## Certified legal-for-trade weighing with smart checkweighing and counting for food and parts

- The KWS SW takes the guesswork out of weighing whether you are weighing produce, prepared foods or parts.
- Set your targets, and the scale signals when your count is achieved.



Front




Back



# SPECIFICATIONS

<b>Product Number and Name and GTIN</b>	K881174 - KWS SW-06 - 888960511749 K881175 - KWS SW-12 - 888960511756 K881176 - KWS SW-30 - 888960511763 K881177 - KWS SW-60 - 888960511770
<b>Capacity - KWS SW-06</b>	6 lb / 3 kg / 3000 g / 96 oz
<b>Capacity - KWS SW-12</b>	12 lb / 6 kg / 6000 g / 192 oz
<b>Capacity - KWS SW-30</b>	30 lb / 15 kg / 15000 g / 480 oz
<b>Capacity - KWS SW-60</b>	60 lb / 30 kg / 30000 g / 960 oz
<b>Graduation - KWS SW-06</b>	0.002 lb / 0.001 kg / 1 g / 0.05 oz
<b>Graduation - KWS SW-12</b>	0.005 lb / 0.002 kg / 2 g / 0.1 oz
<b>Graduation - KWS SW-30</b>	0.01 lb / 0.005 kg / 5 g / 0.2 oz
<b>Graduation - KWS SW-60</b>	0.02 lb / 0.01 kg / 10 g / 0.5 oz
<b>Weighing Modes</b>	g, kg, lb, oz.
<b>Displays</b>	Front and rear large LCD displays with blue backlight.
<b>Keys</b>	UNIT, TARE, Mode, Checkweighing (HI/LO/Target).
<b>Alarm</b>	Checkweighing (HI/LO/Target).
<b>Materials</b>	ABS enclosure. Removable stainless-steel platform.
<b>Levelling Bubble</b>	Level Indicator. Adjustable feet.
<b>Display digits</b>	5 digits LCD
<b>Operating Temperature</b>	5°C ~ +40°C / 41°F ~ 104°F (80% RH)
<b>Power Supply</b>	Rechargeable battery and AC adapter (included)

mm (inches)



## Kilotech Inc.

3500 boul. Poirier, Saint-Laurent, QC, H4R 2J5

Phone Canada: 1-800-694-4445 | Montreal: 1-514-420-6020 | USA: 1-877-328-5988

[www.kilotech.com](http://www.kilotech.com)

You can count on your Kilotech scale to ensure profitability, consistency and eliminate wastage. Every time.

